dreamio

**EPSON** 

**Enjoy Visualife!** 



Home Projector **EMP-TW200** 





# Quality movies with an attractive style

0.7inch 16:9 wide liquid crystal panels (1280x720)


The remarkable EMP-TW200 uses three liquid crystal panels together with the new ColorRealityII image processor to duplicate 720p ultrahigh-definition images in clear, beautiful colour.




## Free up the centre of your room

Horizontal and vertical lens shift 1.5x optical, power zoom lens

The versatile, vertical keystone correction equipped EMP-TW200 also comes with a 1.5x zoom lens and horizontal and vertical lens shift which enables you to project from a wide range of locations around the room without altering image quality or screen dimensions.





Vertical Lens Shift: Upper(max)100%, Lower(max)509

# Ż

#### **EPSON Cinema Color Editor**

Equipped with a PC-compatible USB cable, the EMP-TW200 allows the fine-tuning of chroma, hue and colour along 6 separate axes using the EPSON Cinema Color Editor software.



## 5 selectable projection modes

EMP-TW200 comes with five different settings for adjusting the vividness of the image colour. Choose the best setting for your image preferences and viewing environment. Press "Play" and then just sit back and enjoy superior image quality.

- Dynamic
- Living Room
- Natural
- Theatre
- sRGB

## Settings to fit almost any screen format

When using the Auto Aspect mode, the EMP-TW200 chooses the most suitable aspect ratio for viewing composite video, S-video, or D4 terminal sources. It also comes with a choice of five viewing modes, allowing you to accommodate such specialty formats as wide-screen or foreign films with subtitles.

- Normal
- Squeeze
- Zoom
- Vertical Shift
- Vertical compression

\*Video Source > Projected Image









Squeeze Mode



Zoom Mode



Letterbox (4:3)



Letterbox (4:3)



Zoom Mode and Vertical Shift By shifting the image up, all subtitles appear.



Zoom Mode and Vertical compression By compressing the image vertically the subtitles can be viewed.

## **Beautifully designed to complement any room**

On the end-table beside the sofa, or on the coffee table in the centre of the room, EMP-TW200's stylish design and versatility will light up your life.

## **Beautifully quiet**

The remarkably low 28dB fan noise lets you concentrate on what's playing. It's so quiet you'll hardly know it's there.

## **Ergonomic remote control**

EMP-TW200's ergonomic remote control was designed for comfort and ease of use. In a dark room, the well-lit buttons make it a breeze to operate all the functions including power zoom and focus.

## Home Projector EMP-TW200

Model		EMP-TW200	
Part Number		V11H138052	
Projection System		EPSON Original 3-LCD Prism Technology	
LCD	Panel Size	0.7" wide (x3)	
	Pixel Number	1280 x 720 x 3	
	Native Resolution	720p	
Aspect Ratio		16:9	
Brightness (Typical)		1300 ANSI Lumens (Dynamic/Living Room Mode)	
Contrast Ratio		800:1	
Screen Size (Projected Distance)		30" to 300" diagonal (0.87 to 13.65m)	
Projection Lens	Туре	Powered: Zoom/Focus	
	F-number	2.1-2.8	
	Focal Length	21.4-31.7mm	
	Zoom Ratio	1:1.5	
Lens Shift	Horizontal	50% Left / Right	
	Vertical	100% Upwards / 50% Downwards	
Lamp	Type	UHE 200W	
	Life (Typical)	3000 Hours (Natural/sRGB/Theatre Mode)	
Keystone Correction		Vertical: +/- 15°	
Effective Scanning	Pixel Clock	13.5 to 110 MHz	
Frequency Range	Horizontal	15 to 92 KHz	
	Vertical	50 to 85 Hz	
Analog RGB Input	Input Terminal	Mini D-sub 15pin x 1	
	Supported Resolution	on VGA, SVGA, XGA	
Video Input	Input Terminal	3-RCA/ D4-Video (Component), RCA (Composite), Mini DIN (S-Video	
	Input Signal	NTSC, NTSC4.43, PAL, M-PAL, N-PAL, PAL60, SECAM	
		SDTV / HDTV: 480i (525i), 480p (525p), 720p(750p), 1080i (1125i	
Control I/O	RS-232C	Mini D-sub 9pin	
	USB	USB Type B	
	Trigger Out	Stereo Mini Jack	
Operating Temperature		5°C to 35°C (41°F to 95°F)	
Power Supply Voltage		100-240V +/- 10%, 50/60Hz AC	
Maximum Dimension		440(W) x 320(D) x 134mm(H)	
Weight		5.3 kg / 11.8 lbs	
Fan Noise		28 dB (Natural/sRGB/Theatre Mode)	
Accessories		Power cord, remote control (battery included), USB cable	
		EPSON Cinema Color Editor CD-ROM, user's manual,	

Projection Distance				
Diagonal Screen Size (I	nche <b>wl</b> de(cm)	Tele (cm)		
30	87	133		
40	118	179		
60	179	270		
80	240	361		
100	301	452		
150	453	681		
200	606	909		
300	911	1365		

Options & Accessories		
ELPLP28	ELPKS51	
Replacement Lamp	Soft Carrying Bag	
Part No.: V13H010L28	Part No.: V12H001K51	
ELPAF04	ELPSC14 80" HD Format	
Air Filter Set	Tripod Screen	
Part No.: V13H134A04	Part No.: V12H002S14	

Pixelworks ICs are used in this projector

All products and brand names herein are for identification purpose only and may be the trademarks or registered trademarks of their resp marks. All images in this brochure are simulated. Specifications are subjected to change without notice.

#### Connector Panel



#### INDIA

EPSON India Pvt.Ltd.
Tel: (91) 080-532-1266 Fax: (91) 080-558-1799
www.epson.co.in

#### INDONESIA

#### MALAYSIA

#### PHILIPPINES

#### SINGAPORE

THAILAND/INDO-CHINA
EPSON (Thailand) Co., Ltd
Tel: (66) 02-670-0680 Fax: (66) 02-670-0688
www.epson.co.th

Dealer's Stamp:

