HP Deskjet 460 series mobile printer

460c • 460cb • 460wf • 460wbt

hp



Experience true mobility with HP's new, full-featured mobile printer that delivers optional Wi-Fi and Bluetooth® wireless connectivity and high-quality printing for documents and photos.

oodonn to pr<mark>int on the go</mark>



- Go anywhere with wireless printing from Wi-Fi hotspots. Get the printer that keeps up with your fastpaced lifestyle. Print a presentation from home before you leave for work. At your office, simply slide the Wi-Fi profile switch to one of three preset Wi-Fi settings to wirelessly print reports. For a change of scenery, use the Wi-Fi profile switch to connect instantly to the Wi-Fi hotspot at your favorite café to print and review your documents.¹
- Enjoy convenient wireless Bluetooth printing. Print from Bluetooth-enabled devices such as notebooks, tablet PCs, digital cameras, select mobile phones,² and personal data assistants (PDAs).¹
- Enable versatile printing. Print photos directly from digital cameras and supported CompactFlash, Secure Digital, and MultimediaCard memory cards. Use the CompactFlash slot to enable easy Wi-Fi or Bluetooth connectivity.
- Experience true mobility with HP legendary reliability.

Easy to carry and lightweight, this rugged printer has a tough, durable body. The soft-touch cover provides rugged protection to withstand normal wear and tear, and the anti-vibration design allows quiet, steady operation for printing on the go.

- Count on long-lasting battery operation. The lightweight, ultra-compact lithium-ion battery is simple to recharge, features effortless snap-on installation, and delivers up to 450 pages per charge.¹
- Print without interruption. With a fold-up 50-sheet paper feeder and fold-out output door, you can produce lengthy documents or multiple copies without having to reload paper.

- mant doodmont and prioto quanty
- Produce professional business materials. Enjoy laser-quality text with brilliant images for your business communications. You can also print true-tolife photos up to 8.5 by 11 inches and get outstanding 4 by 6-inch borderless photos.
- Make a lasting impression with HP Vivera inks. Print photos that will be just as vivid generations from now. HP Premium Plus Photo Paper, HP Vivera inks, and optional 6-ink printing³ let you produce true-to-life color and black-and-white photos. With the look and feel of traditional photographs, you'll have lasting memories!⁴

High-performance printing

- Get fast printing speeds on the go. Print highquality documents at up to 17 pages per minute (ppm) black and 16 ppm color. Print borderless 4 by 6-inch photos as quickly as 45 seconds.
- Reduce your overall printing costs. Minimize supplies interaction with easy-to-install, high-volume HP print cartridges.
- Rely on smart printing features. Designed with automatic page completion, an ink saver mode, and low-battery page completion, the printer comes through when you need it most.
- Accommodate a variety of paper sizes and types. For maximum flexibility, the printer supports HP glossy photo papers, envelopes, brochures, flyers, cards, transparencies, labels, and everyday documents.

HP printing and imaging systems help you create powerful, professional communications easily. Printers, supplies, accessories, and services are designed together to work together and are invented to meet your business needs.

⁴ Permanence characteristics are based on Wilhelm-Research.com light-fade testing under glass (as of January, 2005) using HP 97 Tri-color and optional HP 99 Photo Inkjet Print Cartridges on HP Premium Plus Photo Papers. For more information on additional permanence testing factors, visit http://hp.com/go/premiumplusphoto.



¹Accessories are standard on select models only. For more information, please see page 2, "Series at a glance."

² Mobile phone printing with installation of the HP Mobile Phone printing application—available preinstalled or as a free download from www.hp.com.

³ Optional 6-ink printing with purchase of HP 99 Photo or 100 Gray Photo Inkjet Print Cartridge—not included; sold separately.

HP Deskjet 460 series mobile printer

1 Fold up 50-sheet feeder accommodates a wide range of paper types and sizes

> Constructed of soft-touch, impact-resistant material, the tray folds down to protect the printer while on the go

 Simple control panel includes one-touch power, resume, and cancel buttons
 LED indicators show when the battery is charging and provide printer and ink

attack<l

- to dual-carriage, easy-toinstall, long-lasting print cartridges
- 4 Automatic fold-out output door protects the printer when not in use
- 5 Long-lasting lithium-ion battery features simple snap-on installation and effortlessly recharges when you plug in the printer
- 6 Built-in PictBridge/USB port lets you connect PictBridge-enabled devices such as your digital camera
- 7 Built-in USB 2.0 port enables easy direct connections
- 8 Wi-Fi profile switch lets you store settings for three different 802.11 environments
- 9 AC power connection
- 10 Lock connector for securing the printer with a cable lock (available for purchase via a third-party vendor)
- 11 Multi-format card slots accept HP 802.11 or HP Bluetooth printer cards and support CompactFlash Type I, Secure Digital, and MultimediaCard memory cards
- 12 Card holder lets you identify your printer with your business card



Series at a glance



HP Deskjet 460c

- Compact size at 13.4 by 6.45 by 3.17 in (340.2 by 163.8 by 80.5 mm)
- Light weight at 4.49 lb (2.04 kg)



HP Deskjet 460cb

- Compact size at 13.4 by 7.27 by 3.17 in (340.2 by 184.8 by 80.5 mm)
- Light weight, including battery, at 4.88 lb (2.22 kg)
- Long-lasting lithium-ion battery



HP Deskjet 460wf

- Compact size at 13.4 by 7.27 by 3.17 in (340.2 by 184.8 by 80.5 mm)
- Light weight, including battery, at 4.88 lb (2.22 kg)
- Long-lasting lithium-ion battery

٠

HP 802.11b printer card




HP Deskjet 460wbt

- Compact size at 13.4 by 7.27 by 3.17 in (340.2 by 184.8 by 80.5 mm)
- Light weight, including battery, at 4.88 lb (2.22 kg)
- Long-lasting lithium-ion battery
- HP Bluetooth printer card

Experience true mobile freedom

The HP Deskjet 460 series mobile printer is always ready to printanytime, anywhere. When at home, depend on effortless printing from your Bluetoothenabled PDA. The longlasting lithium-ion battery enables printing with no cables, so you can enjoy the fresh air. Take advantage of Wi-Fi hotspots when working at your favorite café or while waiting at the airport. Using your PDA, notebook computer, or Wi-Fienabled smartphone, you can access up-todate information from the Internet or the network server at your office and print it immediately.6



At your favorite café





A host of connection choices



Optimize your mobile productivity with versatile accessories from HP



HP Bluetooth printer card

C8249A

Allows you to print wirelessly from Bluetooth-enabled devices, such as your PDA or mobile phone



HP 802.11b printer card

battery CB001A C8263A

Effortlessly print on Allows you to print wirelessly from your the go with this computer or a Wi-Fi lightweight battery wireless network with easy snap-on installation



C8257A Allows you to print while traveling from your car or even an airplane

HP 65 W power

adapter

CB003A Delivers the convenience of one power adapter for your mobile printer and select

HP notebooks



HP travel holder for HP 2-in-1 executive black/photo print notebook and cartridges mobile printer carrying case

CB006A

Keeps your black or photo print cartridge safe when not in use



C8232A

Enables convenient

printer and notebook

and the flexibility to

carry just the printer

in its dedicated case

portability for your

HP compact

carrying case

C8242A

Provides peace of mind and convenience when traveling with your mobile printer

⁶ Standard accessories vary according to model. For more information, please see page 2, "Series at a glance."

HP lithium-ion

HP Deskjet 460 series mobile printer

Technical	HP Deskjet 460c mobile printer (C8150A)	HP Deskjet 460cb mobile printer (C8151A)	HP Deskjet 460wf mobile printer (C8152A)	HP Deskjet 460wbt mobile printer (C8153A)	le
specifications					
Print technology			mal inkjet		
Printhead nozzles	416 black ink nozzles: 18 kHz maximum firing frequency; 600 color ink nozzles, 600 photo (optional) ink nozzles: 21 kHz maximum firing frequency				
Print speed (letter/A4)	Black: Up to 17 ppm; color: up to 16 ppm; borderless 4 by 6 in photo: as fast as 45 seconds Black: up to 1200 by 1200-rendered dpi; color: up to 4800-optimized dpi color and 1200-input dpi; print resolution technology: HP PhotoREt III (HP PhotoREt IV				
Resolution	Black: up to 1200 by 1200-rendered d			bgy: HP PhotoREt III (HP PhotoRE	tiv
Processor	with optional photo cartridge) 192 MHz				
Memory	32 MB RAM				
Duty cycle	Up to 500 pages per month				
Paper handling	50-sheet input tray, manual two-sided printing				
Custom sizes Standard sizes	Width: 3.0 to 8.5 in (77 to 216 mm); length: 4.0 to 14 in (101.6 to 355 mm) US letter, A4, A5, B5, statement, executive, envelopes (#10, A2, DL, C6, C5, monarch), HP greeting card (glossy) envelope, 4 by 6 in photo media (10 by 15 cm)				
Weights	Paper: 16 to 24 lb (64 to 90 qm ²), envelopes: 20 to 55 lb Bond (75 to 200 qm ²), envelopes: 20 to 55 lb Bond (76 to 200 qm ²), envelopes: 20 to 55 lb Bond (96 sty 10 dm ²), envelopes: 20 to 55 lb Bond (96 sty				
Types	Copier, bond, recycled, multipurpose, premium inkjet, premium inkjet heavy weight, premium transparency, premium photo paper, photo paper,				
	brochure (matte and glossy), cards, envelopes, labels Optional Type: HP lithium-ion battery; life: up to 450 pages per charge; capability: automatic recharge with printer's built-in				
Battery	Optional		b to 450 pages per charge; capability: auto arger; recharge time: only 1 hour, 30 minu		in
Connectivity		Che	arger, recharge time. Only 1 hour, 30 minu		
Interfaces	PictBridge/USB 2.0 full speed port, card slots for CompactFlash Type I, Secure Digital, and MultimediaCard				
Wireless interfaces	Optional 802.11 or B	luetooth connectivity	802.11b connectivity via	Bluetooth connectivity via	
Drinter longuage			CompactFlash slot	CompactFlash slot	
Printer language Fonts	HP PCL 3 enhanced 8 built-in fonts, 4 each in portrait and landscape; CG Times, CG Times Italic, Univers, Univers Italic, Courier, Courier Italic, Letter Gothic, Letter Gothic Italic;				
		Asian fonts: Simplified Chinese, Tra			,
Operating systems			8, 2003 SE); Mac OS X (10.2, 10.3, 10.4);		
Minimum system requirements	Windows 98: Pentium® 90 MHz, 16 MB RAM, 145 MB free hard disk space; Windows Me: Pentium 150 MHz, 32 MB RAM, 145 MB free hard disk space; Windows XD 23 bit addition: Deptium 200 MHz, 64 MB RAM, 146 MB free hard disk space;				
lequirements	Windows 2000: Pentium 300 MHz, 64 MB RAM, 145 MB free hard disk space; Windows XP 32-bit edition: Pentium 300 MHz, 64 MB RAM, 180 MB free hard disk space; Windows XP Professional 64-Bit edition: Pentium 1.8 GHz, 256 MB RAM, 100 MB free hard disk space; Windows Server 2003: Pentium 300 MHz,				
			10.3, 10.4): G3 (except original PowerBoc		<i>'</i>
Software included		ng software, Print applications for Pocket	PC (Web download), PrintBoy for Palm O	S-based handheld	
Dimensions (w by d by	13.4 by 6.45 by 3.17 in (340.2 by 163.8 by 80.5 mm)	Including detachable	e battery: 13.4 by 7.27 by 3.17 in (340.2 by	/ 184.8 by 80.5 mm)	
h)				• •	
		In	cluding detachable battery: 4 88 lb (2 22 k	a)	
Weight	4.49 lb (2.04 kg)		cluding detachable battery: 4.88 lb (2.22 k P 95 Tri-color Inkjet Print Cartridge, AC ada		
	4.49 lb (2.04 kg)	ware CD, HP 94 Black Print Cartridge, HF	P 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery,	apter, power cord, USB cable ⁷ Lithium-ion battery,	
Weight What's in the box	4.49 lb (2.04 kg)		P 95 Tri-color Inkjet Print Cartridge, AC ad	apter, power cord, USB cable ⁷	
Weight What's in the box	4.49 lb (2.04 kg)	ware CD, HP 94 Black Print Cartridge, HF	P 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery,	apter, power cord, USB cable ⁷ Lithium-ion battery,	
Weight What's in the box Also includes	4.49 lb (2.04 kg)	ware CD, HP 94 Black Print Cartridge, HF	P 5 Tri-color Inkjet Print Čartridge, AC addition Lithium-ion battery, Lithium-ion battery, HP 802.11b printer card Ordering information	apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card	nber
Weight What's in the box Also includes	4.49 lb (2.04 kg) Printer, Quick Start guide, soft	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery	P 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card	apter, power cord, USB cable ⁷ Lithium-ion battery,	
Weight What's in the box Also includes	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Recommended: 59 to 95 degrees F (15 Maximum: 32 to 131 degrees F (0 to 55	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C)	 95 Tri-color Inkjet Print Cartridge, AC additional content of the second cartridge, AC additional content of the second cart of the s	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815	50A 51A
Weight What's in the box Also includes Environmental ranges Operating temperature	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Recommended: 59 to 95 degrees F (15 Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C)	 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460ck mobile printer HP Deskjet 460wf mobile printer 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815	50A 51A 52A
Weight What's in the box Also includes	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Recommended: 59 to 95 degrees F (15 Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C)	 P 95 Tri-color Inkjet Print Cartridge, AC additional Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460cb mobile printer HP Deskjet 460wf mobile printer HP Deskjet 460wbt mobile printer 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815	50A 51A 52A
Weight What's in the box Also includes Environmental ranges Operating temperature	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Recommended: 59 to 95 degrees F (15 Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C)	 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460ck mobile printer HP Deskjet 460wf mobile printer 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815	50A 51A 52A 53A
Weight What's in the box Also includes Environmental ranges Operating temperature	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-co	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) es F (0 to 40 degrees C) degrees C) es F (-20 to 60 degrees C) legrees C) ondensing	 P 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460cb mobile printer HP Deskjet 460wf mobile printer HP Deskjet 460wf mobile printer HP Deskjet 460wb mobile printer HP Deskjet 460wb mobile printer HP Ithium ion battery HP 12V auto power adapter 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C815 C815 C815 C815 C815 C815	50A 51A 52A 53A 63A 57A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) egrees C) ondensing ising	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wf mobile printer HP Deskjet 460wb mobile printer HP 0eskjet 460wb mobile printer<	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C815 C815	50A 51A 52A 53A 63A 57A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-co	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) egrees C) ondensing ising	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460cb mobile printer HP Deskjet 460wb mobile printer HP print supplies 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C815 C815 C825 C826 C826 C820	50A 51A 52A 53A 63A 57A 03A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Maximum: 15 to 95 percent, non-conder Normal: sound pressure: 45 dB(A); sound	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) ss F (-20 to 60 degrees C) legrees C) ondensing ising d power: 5.8 B(A)	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wf mobile printer HP Deskjet 460wb mobile printer HP 0eskjet 460wb mobile printer<	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C815 C815 C826 C826 C826 C800 ml) C876	50A 51A 52A 53A 63A 57A 03A 65W
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC)	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) egrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460cb mobile printer HP Deskjet 460vb mobile printer HP 12V auto power adapter HP 94 Black Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (11 HP 97 Tri-color Inkjet Print Cartridge (11 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C815 C815 C815 C816 C816 C816 C816 C816 C816 C816 C816	50A 51A 52A 53A 63A 57A 03A 65W 66W 63W
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (15 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) egrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wb mobile printer HP 12V auto power adapter HP 12V auto power adapter HP 95 Tri-color Inkjet Print Cartridge (11 HP 97 Tri-color Inkjet Print Cartridge (14 HP 99 Photo Inkjet Print Cartridge (13 	ml) C876 ml) C876	50A 51A 52A 53A 63A 57A 03A 65W 66W 63W 69W
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Maximum: 15 to 95 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 20	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) ss F (-20 to 60 degrees C) legrees C) ondensing ising d power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wb mobile printer HP 12V auto power adapter HP 12V auto power adapter HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Photo Inkjet Print Cartridge (11 HP 99 Photo Inkjet Print Cartridge (12) HP 100 Gray Photo Inkjet Print Cartridge (13) 	ml) C876 ml) C876	50A 51A 52A 53A 63A 57A 03A 65W 66W 63W 69W
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC)	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) egrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wb mobile printer HP 12V auto power adapter HP 12V auto power adapter HP 95 Tri-color Inkjet Print Cartridge (11 HP 97 Tri-color Inkjet Print Cartridge (14 HP 99 Photo Inkjet Print Cartridge (13 	ml) C876 ml) C876	50A 51A 52A 53A 63A 57A 03A 65W 66W 63W 69W 68A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications Safety	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 21 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) egrees C) ondensing ising d power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460cb mobile printer HP Deskjet 460cb mobile printer HP Deskjet 460wb mobile printer HP 12V auto power adapter HP 12V auto power adapter HP 94 Black Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (13 HP 90 Tri-color Inkjet Print Cartridge (14 HP 99 Photo Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (14 	ml) C876 7 ml) C936 7 ml) C936	50A 51A 52A 53A 63A 57A 03A 65W 66W 66W 66W 68A 18A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 2 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety EU (EMC Directive), USA (FCC Rules), .	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) ss F (-20 to 60 degrees C) legrees C) ondensing ising d power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand	 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wb mobile printer HP 12V auto power adapter HP 12V auto power adapter HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (12) HP 90 Photo Inkjet Print Cartridge (13) HP 100 Gray Photo Inkjet Print Cartridge (13) HP 100 Gray Photo Inkjet Print Cartridge (14) HP 30 Eable (a-b) 2 meter Mobility accessories HP travel holder for black/photo print cartridge 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C815 C815 C816 C816 C816 C816 C816 C816 C816 C817 C816 C826 C82	50A 51A 52A 53A 63A 57A 003A 65W 66W 66W 66W 68W 68A 18A 18A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications Safety	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 2 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety EU (EMC Directive), USA (FCC Rules), , (MoC), Canada (DoC), China (CCC), Jag	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) ss F (-20 to 60 degrees C) legrees C) ondensing ising d power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460cb mobile printer HP Deskjet 460wb mobile printer HP 20 auto power adapter HP 65 W power adapter HP 94 Black Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (14 HP 95 Tri-color Inkjet Print Cartridge (14 HP 99 Photo Inkjet Print Cartridge (15 HP 100 Gray Photo Inkjet Print Cartridge (16 HP 100 Gray Photo Inkjet Print Cartridge (17 HP 100 Gray Photo Inkjet Print Cartridge (18 HP 100 Gray Photo Inkjet Print Cartridge (17 HP 100 Gray Photo Inkjet Print Cartridge (18) HP 100 Gray Photo Inkjet Print Cartridge (17 HP 100 Gray Photo Inkjet Print Cartridge (18) HP 100 Gray Photo Inkjet Print Cartridge (18) HP 100 Gray Photo Inkjet Print Cartridge (19) HP travel holder for black/photo print of HP executive notebook and mobile print Cartridge (14) 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C816 C826 C82	50A 51A 52A 53A 63A 57A 003A 65W 66W 66W 66W 68W 68A 18A 18A 06A 32A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications Safety EMC	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 2 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety EU (EMC Directive), USA (FCC Rules), .	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) egrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand pan (VCCI registered), Korea (MIC	 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wb mobile printer HP 12V auto power adapter HP 12V auto power adapter HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (12) HP 90 Photo Inkjet Print Cartridge (13) HP 100 Gray Photo Inkjet Print Cartridge (13) HP 100 Gray Photo Inkjet Print Cartridge (14) HP 30 Eable (a-b) 2 meter Mobility accessories HP travel holder for black/photo print cartridge 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C815 C815 C816 C816 C816 C816 C816 C816 C816 C817 C816 C826 C82	50A 51A 52A 53A 63A 57A 003A 65W 66W 66W 66W 68W 68A 18A 18A 06A 32A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications Safety EMC	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-co Maximum: 15 to 95 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 2 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety EU (EMC Directive), USA (FCC Rules), (MoC), Canada (DoC), China (CCC), Jag certified), Taiwan (BSMI certified) One-year return to HP authorized service warranty	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) egrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand pan (VCCI registered), Korea (MIC	 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wb mobile printer HP Oswer accessories HP 12V auto power adapter HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (13) HP 100 Gray Photo Inkjet Print Cartridge (14) HP 100 Gray Photo Inkjet Print Cartridge (15) USB cable (a-b) 2 meter Mobility accessories HP travel holder for black/photo print of HP executive notebook and mobile print HP compact carrying case Connectivity 	ml) C936 ml) C651 ml) C651 ml) C651 ml) C651 ml) C651 ml) C936 c651 ml) C936 c651 c651 c651 c651 c651 c651 c651 c65	50A 51A 52A 53A 63A 57A 03A 65W 66W 66W 68W 68A 18A 06A 32A 42A 64A/
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications Safety EMC Warranty ⁷ Included with select models and	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 21 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety EU (EMC Directive), USA (FCC Rules), , (MoC), Canada (DoC), China (CCC), Ja certified), Taiwan (BSMI certified) One-year return to HP authorized service warranty d countries/regions.	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) legrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand pan (VCCI registered), Korea (MIC e center hardware and software	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460vb mobile printer HP Obeskjet 460vb mobile printer HP 12V auto power adapter HP 94 Black Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (14 HP 97 Tri-color Inkjet Print Cartridge (15 HP 90 Photo Inkjet Print Cartridge (16 HP 99 Photo Inkjet Print Cartridge (17 HP 90 Cray Photo Inkjet Print Cartridge (18 HP 100 Gray Photo Inkjet Print Cartridge (18 HP travel holder for black/photo print of HP travel holder for black/photo print of HP executive notebook and mobile print 	ml) C876 7	50A 51A 52A 53A 63A 57A 03A 65W 66W 66W 68W 68A 18A 06A 32A 42A 64A/
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications Safety EMC Warranty ⁷ Included with select models and	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (15 o 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 2 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety EU (EMC Directive), USA (FCC Rules), (MoC), Canada (DoC), China (CCC), Jag certified), Taiwan (BSMI certified) One-year return to HP authorized service warranty d countries/regions. print job, use of wireless connectivity, and chargin	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) legrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand pan (VCCI registered), Korea (MIC e center hardware and software	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460vb mobile printer HP Ower accessories HP lithium ion battery HP 12V auto power adapter HP 94 Black Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (14 HP 28 cable (a-b) 2 meter Mobility accessories HP travel holder for black/photo print of HP compact carrying case Connectivity HP 802.11b printer card 	ml) C936 ml) C651 ml) C651 ml) C651 ml) C651 ml) C651 ml) C936 c651 ml) C936 c651 c651 c651 c651 c651 c651 c651 c65	50A 51A 52A 53A 63A 57A 03A 65W 66W 66W 66W 66W 68A 18A 06A 32A 42A 64A/ 01A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications Safety EMC Warranty ⁷ Included with select models and ⁸ Power consumption varies with	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 2 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety EU (EMC Directive), USA (FCC Rules), (MoC), Canada (DoC), China (CCC), Ja certified), Taiwan (BSMI certified) One-year return to HP authorized service warranty d countries/regions. print job, use of wireless connectivity, and chargin	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) legrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand pan (VCCI registered), Korea (MIC e center hardware and software	 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460c mobile printer HP Deskjet 460wb mobile printer HP Oswer accessories HP 12V auto power adapter HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (14 HP 99 Photo Inkjet Print Cartridge (15 HP 100 Gray Photo Inkjet Print Cartridge (16 HP 200 Gray Photo Inkjet Print Cartridge (17 HP 100 Gray Photo Inkjet Print Cartridge (18 HP 100 Gray Photo Inkjet Print Cartridge (19 HP 100 Gray Photo Inkjet Print Cartridge (11 HP 100 Gray Photo Inkjet Print Cartridge (12) HP 200 Gray Photo Inkjet Print Cartridge (12) HP 200 Gray Photo Inkjet Print Cartridge (12) HP 100 Gray Photo Inkjet Print Cartridge (12) HP 200 Gray Photo Inkjet Pri	ml) C876 7 ml) C876 14 ml) C936 ml) C876 7 ml) C876 7 ml) C876 14 ml) C936 ml) C936 ml) C876 7 ml) C876 14 ml) C936 ml) C936 ml) C936 C800 7 ml) C876 7 ml	50A 51A 52A 53A 63A 57A 03A 65W 66W 66W 66W 66W 68A 18A 06A 32A 42A 64A/ 01A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption [®] Power certifications Safety EMC Warranty ⁷ Included with select models and ⁸ Power consumption varies with	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 21 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Russ Safety EU (EMC Directive), USA (FCC Rules), , (MoC), Canada (DoC), China (CCC), Jag certified), Taiwan (BSMI certified) One-year return to HP authorized service warranty d countries/regions. print job, use of wireless connectivity, and chargin	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) legrees C) ondensing using d power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand pan (VCCI registered), Korea (MIC e center hardware and software ng the battery. Values given are nominal.	 95 Tri-color Inkjet Print Cartridge, AC add Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460cb mobile printer HP Deskjet 460vb mobile printer HP 12V auto power adapter HP 94 Black Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (14 HP 95 Tri-color Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (13 HP 100 Gray Photo Inkjet Print Cartridge (14 HP 95 Tai-color Inkjet Print Cartridge (15 USB cable (a-b) 2 meter Mobility accessories HP travel holder for black/photo print of HP executive notebook and mobile print HP compact carrying case Connectivity HP 802.11b printer card HP Bluetooth printer card Supported paper North America: www.hp.com/go/every 	Apter, power cord, USB cable ⁷ Lithium-ion battery, HP Bluetooth printer card Num C815 C815 C815 C816 C826 C82	50A 51A 52A 53A 63A 57A 03A 65W 66W 66W 66W 66W 68A 18A 06A 32A 42A 64A/ 01A
Weight What's in the box Also includes Environmental ranges Operating temperature Storage temperature Storage temperature Relative humidity Acoustic noise levels Power specifications Universal power supply C8263A battery Consumption ⁸ Power certifications Safety EMC Warranty 7 Included with select models and ⁸ Power consumption varies with EMC The Bluetooth trademarks are on	4.49 lb (2.04 kg) Printer, Quick Start guide, soft Printer, Quick Start guide, soft Maximum: 32 to 131 degrees F (0 to 55 Battery charging/using: 32 to 104 degree Long term: 59 to 95 degrees F (15 to 35 Short term (< 2 weeks): -4 to 140 degree Battery: -4 to 122 degrees F (-20 to 50 d Recommended: 20 to 80 percent, non-conder Normal: sound pressure: 45 dB(A); soun 100 to 240 AC, 50/60 Hz, output voltage Lithium ion, 2300 mAh (11.1 VDC) Off: 1 watt, Standby: 5.5 watts, Active: 2 IEC 950-compliant, safety UL listed, EU approved, certified by Canada CSA, Rus Safety EU (EMC Directive), USA (FCC Rules), (MoC), Canada (DoC), China (CCC), Ja certified), Taiwan (BSMI certified) One-year return to HP authorized service warranty d countries/regions. print job, use of wireless connectivity, and chargin	ware CD, HP 94 Black Print Cartridge, HF Lithium-ion battery to 35 degrees C) degrees C) as F (0 to 40 degrees C) degrees C) as F (-20 to 60 degrees C) legrees C) ondensing ising id power: 5.8 B(A) 18.5 VDC, output 3.5 amp 0 watts, Maximum: 40 watts LVD and EN 60950 compliant, GS ssia GOST, China CCC, Taiwan Australia (C-Tick), New Zealand pan (VCCI registered), Korea (MIC e center hardware and software ing the battery. Values given are nominal.	 95 Tri-color Inkjet Print Cartridge, AC ad Lithium-ion battery, HP 802.11b printer card Ordering information Product HP Deskjet 460cb mobile printer HP Deskjet 460vb mobile printer HP 0eskjet 460vb mobile printer HP 0eskjet 460vb mobile printer HP 0eskjet 460vb mobile printer HP 65 W power adapter HP 65 W power adapter HP 94 Black Inkjet Print Cartridge (11 HP 95 Tri-color Inkjet Print Cartridge (14 HP 95 Tri-color Inkjet Print Cartridge (14 HP 95 Tri-color Inkjet Print Cartridge (15 HP 99 Photo Inkjet Print Cartridge (16 HP 99 Photo Inkjet Print Cartridge (17 Cables USB cable (a-b) 2 meter Mobility accessories HP travel holder for black/photo print of HP executive notebook and mobile print HP compact carrying case Connectivity HP 802.11b printer card HP Bluetooth printer card Supported paper 	ml) C876 7 ml) C876 2 c800 2 c826 c800 c800 c800 c800 c800 c800 c800 c80	50A 51A 52A 53A 63A 57A 03A 65W 66W 66W 66W 66W 68A 18A 06A 32A 42A 64A/ 01A

The Bluetooth trademarks are owned by its proprietor and used by Hewlett-Packard Company under license. Energy Star and the Energy Star logo are U.S. registered marks of the United States Environmental Protection Agency. HP and the invent signature are trademarks of the Hewlett-Packard Company. Pentium is a registered trademark of Intel Corporation or its subsidiaries in the United States and other countries. Microsoft, Windows, and Windows XP are U.S. registered trademarks of Microsoft Corporation. UNIX is a registered trademark of The Open Group. Linux is a U.S. registered trademark of Linus Torvalds.

© Copyright 2005 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For more information visit our website at www.hp.com 0000-0000ENUC, 08/2005, Rev. 1.1



USA: 1-800-477-5010, Europe : +800 7644 7644, Asia: 65-6253-8500, Australia and New Zealand: 61-2997-2299LAR, Brasil: sac 0800 70 300 70