





full-featured multi-function printer



hp LaserJet 3300 series created for home and office professionals


Designed for small businesses and home offices, the HP LaserJet 3300 series is a full-featured multi-functional printer that delivers outstanding laser printing, digital copying, digital colour scanning and standalone faxing capabilities (for HP LaserJet 3330mfp* only). With HP LaserJet 3300 series, users can eliminate the need for multiple machines and yet achieve business productivity and professionalism.

The HP LaserJet 3300 series is ideal for:

- small businesses
- home offices

A reliable multi-functional printer, the HP LaserJet 3300 series is recommended for home and business users who are looking for professional black and white laser print quality and the cost efficiency of a multi-functional printer.

* Available in some Asia Pacific countries only. Kindly check with your local Hewlett-Packard sales office or your nearest HP authorised dealer for availability.



power-packed

multi-functional performance

 HP LaserJet 3300 series allow users to print, fax, copy and scan (standalone fax capability is available on HP LaserJet 3330mfp* only) from a single device

fast print speed & superior print quality

- HP LaserJet 3300 series produces crisp, clear and professional-looking documents at an efficient speed of up to 14 ppm (A4 size)/15 ppm (letter)
- first page out in less than 10 seconds with hp instant-on fuser technology

The True Resolution Enhancement technology produces a resolution of 1200 dpi laser print. The dual polymer toner and improved sensitivity in the photoconductor (OPC) enable the HP UltraPrecise print cartridges to produce clarity needed for 1200 dpi halftone images, smooth grayscales and fine details

excellent scan and copy output

- walk-up digital copying generates up to 14 cpm (A4 size)/15 cpm (letter) at a resolution of 600 x 600 dpi enhanced with edge detection technology. Options include reduction or enlargement of copies (25% to 200%). It has the capacity to handle 1 99 copies with automatic collation
- the flatbed scanner scans areas ranging from 2 x 3.5" (51 x 89 mm) to 8.5 x 35" (216 x 991 mm) with a resolution of 600 ppi colour. It has a storage capacity of up to 300 pages and the option of black-and-white scanning or colour scanning

productive fax capability

- fax copies can be transmitted at 3 seconds-per-page with G33.6 Kbps modem at a resolution of 300 x 300 dpi (available for HP LaserJet 3330mfp* only)
 - Productivity features include automatic dialing, distinctive ring detect, delay send and quick dialing of up to 250 (base), 275 (se/m) speed dials, 225 group dial numbers and 10 one-touch front panel keys. Resolution options include standard, fine and superfine. Fax compatibilities include the Super G3 (IUT Group 3) and ECM
 - HP LaserJet 3330mfp* includes a 50-page automatic document feeder* (ADF) input tray and a 33.6 Kbps modem that facilitates faxing needs

^{*} Available in some Asia Pacific countries only. Kindly check with your local Hewlett-Packard sales office or your nearest HP authorised dealer for availability.





affordability

- its compact size helps businesses to save office space and rental costs and is highly recommended for space-conscious individuals
- low cost-per-page results in savings for users—the HP UltraPrecise print cartridges print more than 2,500 pages each. The optional high-capacity cartridge prints up to 3,500 pages

reliability

- HP LaserJet 3300 series has a duty cycle of 10,000 pages-per-month which ensures reliability of the printer
- the 90 MHz processor and 32 MB RAM ensure smooth processing of print jobs

user-friendly

- simple to set-up, easy-to-handle supplies and one-year warranty* ensure worry-free printing particularly for businesses without large IT resources
- fewer supplies to manage and support means reduction in costs and maintenance requirements
- HP LaserJet 3300 series allows efficient multi-tasking—users can send or receive faxes, scan or copy
 without having to wait for other print tasks to be completed, thus ensuring uninterrupted workflow
 and work productivity
- it provides convenience to users as they only need to stock one set of consumables, learn one set of instructions and load one set of software
- the user-friendly software (HP document director software), USB and parallel connections ensure that the device will operate efficiently
- the copy, scan and fax buttons on the front panel are intuitive and easy to operate

^{*} Warranty varies according to countries. Please check with your local Hewlett-Packard sales office or your nearest HP authorised dealer for details.

versatility

HP LaserJet 3300 series handles various media sizes and types, hence meeting the printing needs
of users

The 250-sheet input tray (labelled tray 1) supports media weights from 16 to 43 lb. Accepted media sizes include A4, legal, no.10 envelopes, Monarch envelopes and sizes 3 to 5'' to $8.5 \times 14''$ (76×127 mm to 216×356 mm) in straight through paper path

With an output capacity of 125 sheets, the HP LaserJet 3300 series has a legal-sized flatbed document glass that fits a wide range of paper sizes and types

HP LaserJet 3330mfp* features a 50-sheet automatic document feeder* to meet demanding fax usage

connectivity/networkability

- HP LaserJet 3300 series is compatible with the HP Jetdirect 310x Fast Ethernet external print server/internet connector
 - Enjoy better printer performance and maximum connectivity with proven 10Base-T or 100Base-Tx Ethernet technology with HP Jetdirect 310x
- HP LaserJet 3300 series is compatible with various operating systems. They include Microsoft[®] Windows 95, Windows 98, Windows NT[®] 4.0, Windows 2000[®], Windows Me, Windows XP, Macintosh[®] OS 9.1 (or higher) and Mac[®] OS X

expandability

- 32 MB memory is expandable to 96 MB through one DIMM slot
- users may choose from a variety of printer languages which include PCL6, PCL5E, Postscript Level 2 emulation





^{*} Available in some Asia Pacific countries only. Kindly check with your local Hewlett-Packard sales office or your nearest HP authorised dealer for availability.

hp LaserJet 3300 series hp LaserJet 3330mfp* print-fax-copy-scan shown



printing

- 1200 dpi laser printing
- up to 14 ppm (A4 size)/15 ppm (letter) with instant-on fuser

to legal-size

(back)

2,500-page print cartridge (3500-page high-capacity cartridge optional)

faxing

- G3 faxing (33.6 Kbps)—for LaserJet 3330mfp* only
- 3 seconds per page faxing
- 300 x 300 dpi
- automatic redial
- 275 locations
- delay send

copying

- digital, not analog
- flatbed copying
- up to 14 cpm (A4 size)/15 cpm (letter)
- 600 x 600 dpi
- 1 99 copies

scanning

- flatbed scanner
- 600 ppi colour
- black and white or colour scanning
- digital sending to e-mail

selecting the right hp LaserJet 3300 series printer



hp LaserJet 3300mfp*

- print
- сору
- scan (black and white/colour)



hp LaserJet 3330mfp*

- print
- сору
- scan (black and white/colour)
- 50-page ADF*
- fax (33.6 Kbps) modem

^{*} Available in some Asia Pacific countries only. Kindly check with your local Hewlett-Packard sales office or your nearest HP authorised dealer for availability.

technical specifications hp LaserJet 3300 series

hp LaserJet 3300 series

- 32 MB memory, expandable to 96 MB through one DIMM slot
- 90 MHz processor
- Up to 15 pages-per-minute print speed
- 10,000 pages-per-month duty cycle

Operating systems supported: Microsoft[®] Windows 95, Windows 98,

Windows NT[®] 4.0, Windows 2000[®], Windows Me, Windows XP, Macintosh[®] OS 9.1 (or higher), Mac[®] OS X

• HP PCL 5e, HP PCL 6, HP PostScript Level 2 emulation

USB 2.0, IEEE 1284-B parallel connectivity
IO ports: 1 parallel, 1 USB

printer specs

Resolution: 1200 x 1200 dpi (True Resolution

Enhancement Technology)

• Speed: up to 14 pages-per-minute (A4) up to 15 pages-per-minute (letter)
• Print margins: left/right margin: 0.23" (6.0 mm

left/right margin: 0.23" (6.0 mm); top/bottom margin: 0.20" (5.08 mm)

Printer language: PCL6, PCL5E, Postscript Level 2 emulation

copy specs (walk-up copying)

• Resolution: 600 x 600 dpi enhanced with edge

detection technology

• Speed: up to 14 copies-per-minute (A4)

up to 15 copies-per-minute (letter)

• 1-99 copies with automatic collation

• Copy reduction and enlargement: 25% to 200%

scanner specs (walk-up black and white/colour scanning)

Scanner compatibility: TWAIN 1.7
Resolution: 600 ppi colour

• ReadIRIS Pro OCR v6.0

• Scannable area: Minimum size: 2 x 3.5" (51 x 89 mm)

Maximum size: 8.5×35 " (216 x 991 mm)

fax specs (hp LaserJet 3330mfp* only)

• Storage: 300 pages

Resolution: standard, fine, superfine

Transmission speed: 3 seconds-per-page with 33.6 Kbps modem
 Fax compatibility: Super G3 (IUT Group 3); ECM
 Quick dialing: up to 250 (base), 275 (se/m) speed dials,

225 group dial numbers, 10 one-touch

front panel keys

• Distinctive ring detect

paper handling

• Tray 1:

• Media sizes: A4, legal, no.10 envelopes, Monarch

envelopes, and sizes 3 to 5'' to $8.5 \times 14''$

(76 x 127 mm to 216 x 356 mm): 42 lb maximum; straight-through

media path: 16 to 43 lb;

output bin: 16 to 28 lb, 250-sheet media input

tray, 10-sheet priority input tray, 50-sheet ADF* media input tray, straight-through paper path;

30 envelopes: output capacity 125 sheets

Paper (plain, LaserJet), envelopes

(no. 10, Monarch), transparencies, labels, cardstock, custom media

font capabilities

• Media type:

45 TrueType, 35 PostScript

environmental ranges (varies according to region)

Operating temperature: 59 to 90.5° F (15 to 32.5° C)
Storage temperature: -4 to 104° F (-20 to 40° C)

Operating humidity: 10 to 80% RH
Storage humidity: 0 to 95% RH

acoustics (varies according to region)

Operating position: 58 dB (A)
Bystander position: 49 dB (A)
Sound power: 6.4 B (A)

* Available in some Asia Pacific countries only. Kindly check with your local Hewlett-Packard sales office or your nearest HP authorised dealer for availability

power requirements (varies according to region)

• Source: Input voltage 110 to 127 VAC (+/-10%);

220 to 240 VAC (+/-10%)

• Frequency: 50/60 Hz (+/-2)

power consumption (varies according to region)

• Printing: 330 watts maximum

Standby (ready state): 14 watts
 ENERGY STAR® compliant
 Powersave mode: 14 watts
 Off mode: 0 watts

weight

• 3300mfp*: 34.6 lb (15.8 kg)

network compatibility

 HP Jetdirect 310x external print server that supports Windows 95/98/2000/Me/XP/NT, Apple Macintosh versions 8.6 and later, Novell NetWare and NDS, IBM OS/2 and UNIX protocols

contents

 Product; print cartridge; power cord; getting started guide; support flyer; product software and product user guide CD-ROM; 250-sheet media input tray; priority input tray; ADF input tray (except 3300mfp*); fax guide; phone cord (3330mfp* only)

warranty

- 1 year standard warranty
- Warranty varies according to countries. Please check with your local Hewlett-Packard sales office or your nearest HP authorised dealer for details

further information

For more information on the HP LaserJet 3300 series, visit our Web site at http://www.hp.com and click on products and services. Here you will find information on products, supplies, and accessories for all your computing needs. HP printers, personal computers, supplies, and accessories are available at authorised HP resellers worldwide.

For more information, call your local Hewlett-Packard sales office or your nearest HP authorised dealer:

hp customer information centre (for product information)

Australia 132347

+86 10 6564 5858 China +852 2599 7066 Hong Kong +91 11 9628 123 123 India Indonesia +62 21 579 00323 +82 2 3270 0720 +60 3 2698 1111 Korea Malaysia +0800 733 547 +63 2 636 9888 +65 6 2788100 New Zealand **Philippines** Singapore

+1800 6 2788100 (local toll free calls only)

+886 2 2717 0055 +662 353 9000 Taiwan Thailand Vietnam +848 823 6215

For the following countries, please fax your queries to: +65 275 6707 • Bangladesh • Brunei • Cambodia • Pakistan • Sri Lanka

hp customer care centre (for post-sales service)

+61 3 8877 8000 +86 10 6564 5959 +852 800 96 7729 +91 11 682 6035 Australia China Hong Kong India +62 21 350 3408 Indonesia +62 21 350 3408 +82 2 3270 0700 +60 3 2695 2566 +64 9 356 6640 +63 2 867 3551 +65 6 272 5300 +886 2 2717 0055 Korea Malaysia New Zealand Philippines Singapore Taiwan +662 353 9000 Thailand +848 823 4530 Vietnam

for more information on support, visit: http://www.hp.com/go/support

for more information on hp supportpack, visit: http://www.asiapac.hp.com/supportpack for more information on hp genuine parts, visit:

http://www.hp.com/go/hpparts



ENERGY STAR is a U.S. registered service mark of the United States Environmental Protection Agency. As an ENERGY STAR partner, HP has determined that this product meets the guidelines for energy efficiency. Adobe, the Adobe logo, and Adobe PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the USA, and other countries. Apple, AppleTalk, and Macintosh are trademarks of Apple Computer, Inc. registered in the USA, and other countries. Microsoft, Windows, and Windows NT are registered trademarks of Microsoft Corporation in the USA, and other countries. UNIX is a registered trademark of the Open Group in the USA, and other countries. All other brand and product name are trademarks or registered trademarks of their restrective companies. The information Open Group in the USA, and other countries. All other brand and product names are trademarks or registered trademarks of their respective companies. The information contained in this document is subject to change without notice. HP makes no warranty of any kind with respect to this information. HP specifically disclaims the implied warranty of merchantability and fitness for a particular purpose. HP shall not be liable for any direct, indirect, incidental, consequential, or other damage alleged in connection with the furnishing or use of this information.

All brands and product names are trademarks or registered trademarks of their

All information is subject to change without any prior notice (E.&O.E.). For warranties, please check with your local Hewlett-Packard sales office or your nearest HP authorised dealer for availability.

© Copyright Hewlett-Packard Company 2002 Printed in Singapore M02/2002 RV1 P/N: 5980-8410EEP

ordering information

number

HP LaserJet 3300mfp C9124A C9126A HP LaserJet 3330mfp

hp supportpack options1

H5471A/E H2649PA/PE Next business day exchange, 3 years Next business day on-site, 1 year H5478A/E Next business day on-site, 3 years

H2646E Return to HP, 3 years H4513A/E Installation, 1 unit

print cartridges

HP UltraPrecise print cartridge, 2,500 pages C7115X HP UltraPrecise print cartridge, 3,500 pages

paper 92296U

HP LaserJet monochrome transparencies,

50 sheets, A4 HP LaserJet soft gloss paper, 200 sheets, A4 C4179B HP LaserJet color transparencies, 50 sheets, A4 C2936A HP LaserJet monochrome transparency, A4 HP LaserJet tough paper, 50 sheets, A4 92296U Q1298B

memory

C7842A 8 MB SDRAM DIMM C7843A 16 MB SDRAM DIMM C7845A 32 MB SDRAM DIMM Q1887A 64 MB SDRAM DIMM

interface & cables

Parallel cable, 2-meter IEEE 1284-B cable Parallel cable, 3-meter IEEE 1284-B cable USB cable, 2-foot C2950A C2951A

8121-0712 8121-0539 USB cable, 2-meters

network

HP Jetdirect 310x Fast Ethernet external 16038A

print server (USB)

16061A2 HP Jetdirect 380x 802.11b wireless

external print server (USB)



¹ Please check with your local hp resellers for availability of other HP Supportpack option

²Available from May 2002 onwards only