


The HP logo is positioned in the top left corner of the advertisement. It consists of a large, white, stylized 'H' shape on a dark background, with the lowercase letters 'hp' in a white, sans-serif font to its right.

Dazzling impressions,
dazzling value

HP vp6315/6325 Digital Projector

Top performance, top value and top versatility





For dazzling impressions at an even more dazzling value, the HP vp6315/6325 Digital Projector tops the class. Extremely versatile to fit any venue. A breeze to set up and operate to fit any occasion. And most impressive of all, top delivery to inspire any audience.

Deliver a top class presentation with outstanding visual clarity

Project your message across in convincing fashion with superb image quality, razor-sharp clarity and a vibrancy that adds a dash of flair and dynamism to every presentation.



Outstanding impressions everytime

Attract your audience's attention with superb image quality and exceptional brightness (1600 ANSI (max) lumens** for vp6315, and 2000 (max) lumens** for vp6325). Keep your graphics and messages sharp and focused with a high contrast ratio (2000:1 for vp6315 and 2500:1 for vp6325). And send your points across loud and clear with a low operating noise that do not distract. Best of all, the projector automatically determines the most optimal settings for data, graphics, or video.



Get unparalleled consistency with advance technology

All HP digital projectors are empowered with advanced Digital Light Processing™ (DLP™) technology that puts quality and consistency on the screen. Get ready for increased brightness and sharpness that makes use of light more efficiently. Enjoy eye-catching contrast that projects black tones and crisp, grain-free images in your video and graphics. And best of all, with no fading or loss of color fidelity for a long time to come.

vp6315/6325 Digital Projector



High contrast ratio

Normal Digital Projector




Conventional

DLP technology



Picture after 3110 hours

Normal LCD



Picture after 3110 hours

Proven picture reliability



Deep black tones




Pale black tones

Eye-catching contrast



High light efficiency



Low light efficiency

Increased brightness and sharpness

The HP advantage

When it comes to performance and value, accept no compromise. HP is the world leader in digital projectors and the preferred award-winning choice of experts worldwide. Gain the edge with technological advancements like DLP™ technology and colour wheel technology. And ensure total peace of mind with top class HP customer service and support, easy-to-access phone support and online e-support at www.hp.com/support.

Designed for smarter versatility and a great impression

With a sleek design and innovative features, the HP vp6315/6325 Digital Projector puts total freedom, greater flexibility and more options in your hands to maximise the effectiveness of your presentations. And truly captivate your audience.



Integrated handle cum security cable



Quick access control buttons



Sleek designer look



Industry-leading DLP™ superiority

Freedom to impress

Smooth, sleek and uniquely 5-sided, the HP vp6315/6325 Digital Projector turns on the charm even before you start your presentation! Its built-in handle not only offers smart carry-and-impress portability, but also serves as secure cabling for easy lock-down.

Freedom of placement

With a convenient, integrated handle that doubles as a security cable, the projector's compact and lightweight design makes moving the device from room to room easy. Be free to choose to keep your projector fully portable, or have it mounted to the ceiling, rear wall, or tabletop. Whichever option you take, lamp replacement is a breeze with an easy-access lamp module.

Freedom of connectivity

Connect the HP vp6315/6325 Digital Projector to anything from a computer to a handheld device, DVD, TV or VCR. With its multiple inputs, you can create powerful, lively, and memorable presentations that include a variety of source material.

Freedom to take control

Maintain amazing control over your presentation and focus your audience's attention on the screen with a remote control and an external monitor. This projector's credit card-style remote lets you give smooth presentations without interruptions; and using VGA output, you can run presentations to an external monitor, keeping an eye on the presentation and your audience at the same time.




Top notch warranty to meet your business needs

The HP vp6315/6325 Digital Projector is the perfect buy with its superb value and ultra low cost of ownership. Apart from the industry's highest ever 3-year standard warranty and 2-year lamp warranty, you'll also get to enjoy 4,000 lamp hours at one go without replacing any lamp modules to make countless presentations that really matter.



**The ANSI (max.) lumens rating is based on ANSI/NAP IT7 .228-1997 tests of 26 units, in August 2004, with a projector mean ANSI lumens of 1777 and maximum ANSI lumens of 2012. The ANSI (max.) lumens specification is provided to enable customers to accurately compare HP digital projector's lumens with the lumen ratings of other vendors. Lamp brightness will decline with use. Replacing the used lamp with a new factory lamp will restore the projector's output to its original brightness range.

HP vp6315/6325 Digital Projector

- 1. Infrared port and height adjustment button
- 2. Auto sync button
- 3. Integrated handle for security cable
- 4. Lamp and temperature warning light
- 5. Menu buttons
- 6. Picture button
- 7. Page-down button
- 8. Source button
- 9. Page-up button
- 10. Keystone adjustment
- 11. Power button
- 12. Focus and zoom rings
- 13. Lens cover
- 14. Lens



- 15. S-video connection
- 16. Audio in RCA connection
- 17. Audio-in phono plug
- 18. USB port
- 19. VGA-in port
- 20. VGA-out port*
- 21. RS 232 output*
- 22. Kensington lock
- 23. M1-DA input
- 24. AC power
- 25. 12-Vdc trigger output*
- 26. Power on/off
- 27. Composite connection
- 28. Remote control



* only applies to vp6325

Maximize your presentations with versatile accessories from HP



Lamp Module

L1695A

Prevent distracting interruptions during your presentation with this back-up lamp module



HP ceiling mount

L1703A

Easily mount your projector to the ceiling for permanent installation



HP mobile 60-inch screen
HP presenter 50-inch screen

L1633A/L1671A

Give your audience the big picture wherever they want with a self-contained easy to use mobile screen



Combination travel case

L1696A

An economic and sturdy design allows you to protect your digital projector from rigors of travel and frequent use



Premium remote control with laser pointer

L1586A

Effortlessly control every detail of your presentation with a laser pointer and enhanced navigation controls

HP vp6315/6325 Digital Projector

Technical specifications	HP vp6315 (L1792A) Digital Projector	HP vp6325 (L1794A) Digital Projector
Brightness	1,600 ANSI (max) lumens	2,000 ANSI (max) lumens
Resolution	800 x 600 True SVGA	1024 x 768 True XGA
Image contrast	2,000:1 full on/full off	2,500:1 full on/full off
Lamp life	4,000-hour average lamp life (to half of original brightness)	
Weight	3.5 kg (7.7 lb)	
Dimensions (w x d x h)	280 x 255 x 102 mm (11.0 x 10.1 x 4.0 in.)	
Projected image	Adjustable from 60.96 to 584.2 cm (24 in to 230 in)	
Size	Adjustable from 60.96 to 584.2 cm (24 in to 230 in)	
Throw distance	1.52 to 9.14 m (5 to 30 ft)	
Display technology	Texas Instruments DLP™	
Scalable resolution	SXGA+, SXGA, XGA, SVGA, VGA, MAC	
Projector lens	f/2.4~2.6, f=24.3~29.2 mm; optical zoom, manual focus	
Keystone correction	Horizontal, ±20%	
Light source	210-watt lamp; lamp saver mode reduces lamp power to 168 watts	
Audio	Monaural speaker, 6-watt peak output	
Video capability	NTSC 3.58 MHz and 4.43 MHz; PAL B, D, G, H, I, M, N; SECAM B, D, G, K, K1, L; HDTV (480i/p, 575i/p, 720p, 1080i); PC video up to SXGA	NTSC 3.58 MHz and 4.43 MHz; PAL B, D, G, H, I, M, N; SECAM B, D, G, K, K1, L; HDTV (480i/p, 575i/p, 720p, 1080i); DVI with HDCP; PC video up to SXGA
Signal interface	Input: VGA, RCA jack (composite), S-video, audio RCA jack Output: USB (mouse control), VGA pass through	Input: VGA, RCA jack (composite), DVI-D, RS-232, 12-Vdc S-video, audio RCA jack Output: USB (mouse control), VGA pass through
Computer connectivity	UXGA, SXGA+, SXGA, XGA+, XGA, SVGA, VGA, Mac, Mac LC 13 in, Mac II 13 in, Mac 16 in, Mac 19 in, Mac G4, iMac DV	SXGA, XGA+, XGA, SVGA, VGA, Mac, Mac LC 13 in, Mac II 13 in, Mac 16 in, Mac 19 in, Mac G4, iMac DV
Resizing of images to full screen	Automatic	
Detection of computer signal input	Automatic	
Image synchronization	Automatic	
Remote control	Wireless remote controller with USB mouse function	
Mounting capability	Ceiling and tabletop, front and rear projection	
What's in the box	HP vp6315 Digital Projector, 3-conductor 3-meter (10 ft) power cord, 1.8-meter VGA cable, wireless remote control with mouse function and batteries, multi-language User's Guide (CD-ROM), multi-language Quick Start Card, warranty card	HP vp6325 Digital Projector, 3-conductor 3-meter (10 ft) power cord, 1.8-meter VGA cable, wireless remote control with mouse function and batteries, multi-language User's Guide (CD-ROM), multi-language Quick Start Card, warranty card
Warranty	3-year limited international warranty 2-year lamp warranty or 4000 hrs lamp life	

Environmental ranges

Operating	Temperature: 10 to 35° C (50 to 95° F) Humidity: 80% RH max, non-condensing Altitude: up to 3,000 m (10,000 ft), up to 25° C (77° F)
Storage	Temperature: -20 to 55° C (-04 to 131° F) Humidity: 80% RH max, non-condensing Altitude: up to 12,000 m (40,000 ft) As low as 32 dBA in lamp-saving mode

Noise level

Power

Requirements	100 to 240 V at 50 to 60 Hz
Consumption	285 watts maximum

Certifications

Safety	cULus, TUV-GS, CCC, EN60950, PSB, NOM, B-mark, GOST, FDA DHHS, SHOAN, EMI/EMC certifications, FCC Part 15 Class B, EN55022: 1998, EN55024: 1998, VCCI, MIC, C-Tick
Electromagnetic compatibility	FCC Part 15 Class B, EN55022:1998, EN55024:1998, VCCI, MIC, C-Tick

Ordering information

HP product	Number
HP vp6315 Digital Projector	L1792A
HP vp6325 Digital Projector	L1794A

Accessories and supplies

Premium remote control with laser pointer	L1586A
HP vp6315/6325 series lamp module	L1695A
HP vp6315/6325 series carrying case	L1696A
HP vp6315/6325 series ceiling mount	L1703A
HP mobile 60-inch standard screen	L1633A

Cables

HP VGA 1.8-meter cable	L1625A
HP USB 1.8-meter cable	L1661A
HP AV (w, y, r) 1.8-meter cable	L1626A
HP S-video 1.8-meter cable	L1635A
HP audio mini-plug 1.8-meter cable	L1532A
HP HDTV (RGB) cable	L1634A

For more information, call your local Hewlett-Packard sales office or your nearest HP authorised dealer:

HP customer information centre (for product information)

Australia	13 23 47
China	800 820 2255
Hong Kong	800 938 833
India	1600 444 999
Indonesia	0800 1111 222
Korea	080 703 0700
Malaysia	1800 88 4848
New Zealand	0800 733 547
Philippines	1800 1441 6688
Singapore	278 8100
Taiwan	0800 236 686
Thailand	+66 2 353 9000
Vietnam	+84 8 823 6215

HP customer care centre (for post-sales service)

Australia	13 10 47
China	800 810 5959
Hong Kong	+852 3002 8555
India	1600 112 267
Indonesia	+62 21 350 3408
Korea	+82 2 3270 0700
Malaysia	1800 80 5405
New Zealand	+64 9 356 6640
Philippines	+63 2 867 3551
Singapore	+65 6 272 5300
Taiwan	+886 2 8722 8000
Thailand	+662 353 9000
Vietnam	+848 823 4530

For the following countries, please fax your queries to: **+65 6275 6707**

- Bangladesh • Bhutan • Brunei • Cambodia • Maldives
- Nepal • Pakistan • Sri Lanka



The DLP® logo and DLP® Medallion are trademarks of Texas Instruments.

Digital Light Processing, DLP, the DLP logo, and the DLP medallion are trademarks of Texas Instruments. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation.

© 2005 Copyright Hewlett-Packard Development Company, LP.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For more information visit our website at www.hp.com

5983-1541 EEP, 04/2005

For more information on

HP Care Pack, visit: <http://www.hp.com/apac/hpservices/carepack>

HP Instant Support Professional Edition (ISPE), visit:

<http://www.instantsupport.asiapac.hp.com>

For more information on support, visit: <http://www.hp.com/support>

For more information on HP genuine parts, visit:

<http://www.hp.com/go/hpparts>

For specific warranty details, please check with your local country resellers.



invent